

FORTHING S7 Spec

Item	Luxury	Exclusive
Dimension		
Length*Width*Height(mm):	4935*1915*1495	4935*1915*1495
Wheelbase(mm):	2915	2915
Motor		
Drive Form	Rear-mounted Rear Drive	Rear-mounted Rear Drive
Type of Motor	Permanent Magnet Synchronous Motor	Permanent Magnet Synchronous Motor
Cooling Type	Liquid-cooled	Liquid-cooled
Peak Power (kW)	154	154
Power Rating (kW)	60	60
Maximum Motor Speed (rpm)	16000	16000
Peak Torque (N.m)	310	310
Main Deceleration Rate	12.293	12.293
Drive System Warranty	8 Years or 120,000 Kilometers	8 Years or 120,000 Kilometers
Battery		
Pure Electric Mileage(CTC)	540km	540km
Power Battery Materials	Lithium Iron Phosphate	Lithium Iron Phosphate
Cooling Type	Liquid-cooled	Liquid-cooled
Battery Warranty	8 Years or 150,000 Kilometers	8 Years or 150,000 Kilometers
Battery Heating Device	•	•
Battery Capacity (kwh)	56.8	56.8
Charge		
Car-charging Power	6.6kW	6.6kW
Slow Charging Interface (AC)	•	•
Fast Charging Interface (DC)	•	•
Charging Interface with Lock	•	•
Reservation Charging Function	•	•
Slow Charging Time	Approx. 9 Hours for 6.6kW Charging Post	Approx. 9 Hours for 6.6kW Charging Post
Fast-charging Time	Approx. 28 Mins for 120kW Charging Post	Approx. 28 Mins for 120kW Charging Post
Safety Equipment		
ABS Anti-lock	•	•
Braking Force Distribution (EBD / CBD)	•	•
Brake Assist (HBA / EBA / BA, etc.)	•	•
Traction Control (ASR / TCS / TRC, etc.)	•	•
Body Stability Control (ESP / DS CVSC, etc.)	•	•
Hill-start Assist Control	•	•
Hill Decent Control	•	•
Automatic Parking	•	•
ISO FIX	•	•
High Brake Light	•	•
Fatigue Monitoring / Reminders	•	•
Front Parking Radar	•	•
PDC/Parking Distance Control	•	•
Reverse Image	•	•
360 Degree Panoramic View	•	•
Seats		
Seat Adjustment	Manual 6-way Adjustmen	Electric 6-way Adjustment
Power Seat Memory (With Welcome Slide)	•	•
Seat Ventilation	•	•
Seat Heating	•	•

Explain: • Set, × Not Set, ○ Optional;



Cyan



Blue



Green

Item	Luxury	Exclusive
Chassis		
Front Suspension Type	MacPherson Independent Suspension + Lateral Stabilizer Bar	MacPherson Independent Suspension + Lateral Stabilizer Bar
Rear Suspension Type	Multi-link-type Independent Suspension	Multi-link-type Independent Suspension
Type Size	235 / 50R18	235 / 45R19
Quick Tire Replacement Tools	•	•
Convenience Equipment		
Non-inductive Start	•	•
Keyless Entry System	•	•
Induction Wiper	•	•
Intermittent Adjustable Type Wiper Dial Lever	•	•
Sensitivity Adjustable Type Wiper	•	•
Automatic Window Closing Function for Rain	•	•
Mobile Phone Charging Interface	•	•
12V/Power Connector	•	•
Mobile Phone Wireless Charging	•	•
Electric Tail Door	•	•
L2 Driver Assistance		
Forward Collision Warning (FCW)	•	•
Automatic Emergency Braking (AEB)	•	•
Emergency Brake Assist (Brake Precharge)	•	•
Lane Departure Warning (LDW)	•	•
Lane Departure Prevention (LDP)	•	•
Adaptive Cruise Control (ACC)	•	•
Lane Keeping Assist (LKA)	•	•
Smart Cruise Control (SCC)	•	•
Traffic Sign Recognition (TSR)	•	•
Intelligent High Beam Control (IHBC)	•	•
Rearward Collision Warning (RCW)	•	•
Rear Cross Traffic Assist (RCTA)	•	•
Blind Spot Detection(BSD)	•	•
Lane Change Assist (LCA)	•	•
Door Opening Warning (DOW)	•	•
Lights		
Dynamic Welcome Light	•	•
Headlight Decorative Light	•	•
In-car Atmospheric Light	•	•
Automatic Trunk Light	•	•
Multimedia		
WiFi Function	•	•
Bluetooth System	•	•
Combination Instrument	•	•
Center Console Display	• 14.6 inches	• 14.6 inches
APP Remote Assistant	•	•
APP Remote Control	•	•
Mobile Phone Interconnection / Screen Projection	•	•



White



Black



Red



White Interior



Fatigue Monitoring System



15.6-inch Floating Central Control Screen



7-shaped Headlights



Hidden Door Handle



LED Through Type Taillights



GORGEOUS AND DYNAMIC

Inspired by the vast Galaxy, we have created a new design school of "Interstellar Flow Aesthetics", showcasing character with the boundless charm of the universe, and expressing our yearning for a free and beautiful life.

<https://www.facebook.com/ForchingLZ> https://www.instagram.com/forthing_motor/ <https://x.com/ForchingLZ> https://www.tiktok.com/@forthing_motor



FORTHING